



Illinois Environmental Protection Agency

Bureau of Water • 1021 North Grand Avenue East • P.O. Box 19276 • Springfield • Illinois • 62794-9276

Division of Water Pollution Control

Municipal Lagoon Wastewater Review Sheet

General Permit For Municipal Lagoon Wastewater Facilities

You may complete this form online using Adobe Acrobat Reader and save a copy of your file to your computer.

Reviewer: FRB Date: 6/27/14

Permit Number: ILG580125

Applicant Name: City of Creal Springs

Mailing Address: 507 E. Walnut Address 2: P.O. Box 417

City: Creal Springs State: Illinois Zip Code: 62932

Facility Name: City of Creal Springs STP County: Williamson

Facility Address: Highway 161 West Address 2: _____

City: Creal Springs State: Illinois Zip Code: 62932

Existing Facility: ☒ Yes ☐ No (If no, facility is not eligible for coverage under the general permit)

New Outfall or Increase Loading: ☐ Yes ☒ No (If yes, facility is not eligible for coverage under the general permit)

Non-Publicly Owned < 2,500 P.E.
(ILG551):

☐

Publicly Owned < = 2,500 P.E.
(ILG580):

☒

Publicly Owned and > 2,500 P.E. < =
5,000 P.E. (ILG582):

☐

Domestic Lagoon: ☒ Yes ☐ No

Combined Sewer Overflows:
(if yes, not eligible) ☐ Yes ☒ No

Single Pipe Discharge:
(if no, not eligible) ☒ Yes ☐ No

Environmental Justice Area: ☐ Yes ☒ No

Operation by Class 4 Operator: ☒ Yes ☐ No

Approval TMDL: ☒ Yes ☐ No

Does the TMDL require further
Permit Limit(s): ☐ Yes ☒ No ☐ NA (if yes, facility is not eligible for cover under the general permit)

7Q10: 0 cfs

Lagoon Exemption Date: 7/18/1983 Dilution Ratio > 5:1: ☐ Yes ☒ No

Date of Year-Round Disinfection Exemption: 6/19/1992

Applicable Permit Page: ☐ Page 2 ☒ Page 3 Receiving Stream is on the 303(d) list: ☐ Yes ☒ No

(if yes, potential
causes):

uses impaired:

Outfall Num.	Receiving Stream	Latitude			Longitude			General Use or Secondary Contact	Average Flow (MGD)	Maximum Flow (MGD)
001	Cana Creek	37°	37'	30"	88°	51'	08"	General Use	0.224	0.488